

L Number	Hits	Search Text	DB	Time stamp
2	35	((transmit\$5 or send\$3) with (part\$6 or portion) near2 (encrypt\$5 or encipher\$5) with (data or information or document) and (decrypt\$4 or decipher\$5) with (condition or payment or (serial adj number)) ) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 11:18
3	42	partially near2 (encrypt\$3 or encipher\$4) with (data or information or document).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 11:19
5	46	partially adj encrypted adj (data or information or document)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 13:09
6	12	(partially adj encrypted adj (data or information or document)) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:35
7	6	(generat\$3 or produc\$5) adj2 serial\$4 adj2 number near3 print	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:36
8	3	((generat\$3 or produc\$5) adj2 serial\$4 adj2 number near3 print) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:46
9	478	(generat\$3 or produc\$5) with serial\$3 adj number with print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:47
10	203	(generat\$3 or produc\$5) with serial\$3 adj number near4 print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:49
11	131	((generat\$3 or produc\$5) with serial\$3 adj number near4 print\$5) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:48
12	6	((((generat\$3 or produc\$5) with serial\$3 adj number near4 print\$5) and @ad<=20000817) and 713.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:49
13	12	((((generat\$3 or produc\$5) with serial\$3 adj number near4 print\$5) and @ad<=20000817) and (713.clas. or 380.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:49
14	39	printer near3 (generat\$3 or produc\$5) with serial\$3 adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:53
15	19	(printer near3 (generat\$3 or produc\$5) with serial\$3 adj number) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:50
17	8	printer with (generat\$3 or produc\$5) with serial\$3 adj number with document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:54
22	5	(printer with (generat\$3 or produc\$5) with serial\$3 adj number with document) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:59

23	10	(transmit\$6 or send\$5) near5 serial adj number with (decrypt\$5 or decipher\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 14:59
28	1	printer adj3 (generat\$5 or produc\$5) with serial adj number with document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 15:20
38	6	print\$3 near4 generat\$3 adj serial adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 15:29
39	5	(print\$3 near4 generat\$3 adj serial adj number) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 15:26
41	287	serial adj number near3 document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 15:29
44	6	print\$4 with unencrypted with portion	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 15:31
45	5	(print\$4 with unencrypted with portion) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 15:31
50	225	encrypt\$3 with partially adj encrypted	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 16:28
51	30	encrypt\$3 adj2 partially adj encrypted	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 16:29
52	16	(encrypt\$3 adj2 partially adj encrypted) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 16:31
58	177	(encrypt\$3 or encipher\$5) near2 (part\$5 or portion) with document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 16:53
59	76	((encrypt\$3 or encipher\$5) near2 (part\$5 or portion) with document) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 16:59
64	0	twice\$encrypt\$3 with document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:04
65	2034	encrypt\$5 with second near2 key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:04
66	41	encrypt\$5 with second near2 key with document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:05
67	20	(encrypt\$5 with second near2 key with document) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:10

68	12	encrypt\$5 adj3 document with (before or prior) with print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:45
69	14	encrypt\$5 adj3 document with (before or prior) with transmi\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:35
70	8	(encrypt\$5 adj3 document with (before or prior) with transmi\$5) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:11
73	6	encrypt\$5 adj3 document with (before or prior) with transmi\$5 with key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:45
74	4	(encrypt\$5 adj3 document with (before or prior) with transmi\$5 with key) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:35
77	20	(US-6119108-\$ or US-6449718-\$ or US-6446050-\$ or US-5398283-\$ or US-6279112-\$ or US-6446051-\$ or US-5633932-\$ or US-6041316-\$ or US-5889860-\$ or US-3990558-\$ or US-5784460-\$ or US-4404649-\$ or US-6378070-\$).did. or (US-20020019937-\$ or US-20030204753-\$ or US-20030217271-\$ or US-20020091640-\$ or US-20010011350-\$).did. or (GB-2342768-\$).did. or (US-20020071559-\$).did.	USPAT; US-PGPUB; EPO;	2004/02/12 17:47
80	5	((US-6119108-\$ or US-6449718-\$ or US-6446050-\$ or US-5398283-\$ or US-6279112-\$ or US-6446051-\$ or US-5633932-\$ or US-6041316-\$ or US-5889860-\$ or US-3990558-\$ or US-5784460-\$ or US-4404649-\$ or US-6378070-\$).did. or (US-20020019937-\$ or US-20030204753-\$ or US-20030217271-\$ or US-20020091640-\$ or US-20010011350-\$).did. or (GB-2342768-\$).did. or (US-20020071559-\$).did.) and encrypt\$5 with (prior or before) with transmi\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:48
81	2	twice near5 encrypt\$5 with document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:49
82	33	twice near5 encrypt\$5 with transmi\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:50
83	17	(twice near5 encrypt\$5 with transmi\$6) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:16
84	5	((US-6119108-\$ or US-6449718-\$ or US-6446050-\$ or US-5398283-\$ or US-6279112-\$ or US-6446051-\$ or US-5633932-\$ or US-6041316-\$ or US-5889860-\$ or US-3990558-\$ or US-5784460-\$ or US-4404649-\$ or US-6378070-\$).did. or (US-20020019937-\$ or US-20030204753-\$ or US-20030217271-\$ or US-20020091640-\$ or US-20010011350-\$).did. or (GB-2342768-\$).did. or (US-20020071559-\$).did.) and quality	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:48
85	13	printer with serialized with output	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:48

102	9	(generat\$6 or produc\$5) near3 serial\$5 adj2 output with printer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 19:53
103	8	((generat\$6 or produc\$5) near3 serial\$5 adj2 output with printer) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 19:52
104	242	(generat\$6 or produc\$5) near3 serial\$5 with printer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 19:54
105	27	(generat\$6 or produc\$5) near3 serial\$5 adj2 (data or output or information) with printer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 19:54
108	108	print adj serial adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 19:57
110	299	request\$5 with encrypt\$3 with (data or information) with (after)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 20:39
113	123	request\$5 with encrypt\$3 with (data or information) with (after) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 20:40
118	13	after adj5 unencrypted adj2 (data or information or document)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 20:42
119	12	(after adj5 unencrypted adj2 (data or information or document) ) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 20:47
-	447	380/51.ccls. or 705/62,77.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 17:59
-	331	(380/51.ccls. or 705/62,77.ccls.) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 17:56
-	6	((380/51.ccls. or 705/62,77.ccls.) and @ad<=20000817) and encrypt\$3 with portion with document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 17:57
-	287	380/51.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:01
-	187	705/62,77.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:00
-	129	705/62,77.ccls. and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 17:59
-	0	705/62 and 705/77.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:00

-	229	380/51.ccls. and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:05
-	2657	(secure with print\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:05
-	11	(secure with print\$3).ab. and (380/51.ccls. and @ad<=20000817)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:08
-	2	6612488.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:09
-	0	encrypt\$3 with portion with document and network and serialized adj print	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:11
-	0	erialized adj print	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:10
-	8	serialized adj print	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:10
-	98	encrypt\$3 with portion with document and network	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:11
-	2	(encrypt\$3 with portion with document and network ) and decrypt\$3 with partially with encrypt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:13
-	46	(encrypt\$3 with portion with document and network ) and payment	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:15
-	16	((encrypt\$3 with portion with document and network ) and payment) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:19
-	0	print\$3 with partial\$5 with encrypt\$3 with document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:19
-	40	partial\$5 with encrypt\$3 with document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 18:19
-	8	( partial\$5 with encrypt\$3 with document) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 08:45
-	37	secure adj printing.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 08:46
-	14	(secure adj printing.ti.) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 08:52

-	405	secure with print\$3.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 08:56
-	286	(secure with print\$3.ti.) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 08:56
-	2657	secure with print\$3.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 08:56
-	73	((secure with print\$3.ti.) and @ad<=20000817) and (secure with print\$3.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 08:57
-	60	(partial\$3 or portion) with encrypt\$4 with document and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 09:06
-	13	print\$3 with (partial\$4 or portion) with encrypt\$3 with document and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 09:49
-	0	serialized adj print\$3 with number	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 09:49
-	5338	serial\$3 adj print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 09:56
-	296	serial\$3 adj print\$3 with number	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 10:00
-	1	(serial\$3 adj print\$3 with number) and 713.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 10:00
-	19	(serial\$3 adj print\$3) and 713.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 10:02
-	52	guarantee\$ adj print	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 10:03
-	24	guaranteed adj print	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 10:11
-	2	6612488.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 10:17
-	251	serial near2 number near2 print	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 10:17
-	6	(serial near2 number near2 print) and encrypt\$3 with document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 10:17

-	5	((serial near2 number near2 print) and encrypt\$3 with document) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 10:50
-	4	print\$3 with encrypt\$3 with document with payment	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 10:52
-	27	partial\$3 near2 encrypt\$3 with document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 10:52
-	7	(partial\$3 near2 encrypt\$3 with document) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 11:07
-	74	print with (portion or part\$6) with encrypt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 11:12
-	42	(print with (portion or part\$6) with encrypt\$3) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 11:18
-	51	payment with ((transmit\$5 or send\$5) or (receiv\$6)) with decrypt\$5 adj key	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 11:19
-	3	(payment with ((transmit\$5 or send\$5) or (receiv\$6)) with decrypt\$5 adj key) and encrypt\$3 adj document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 11:19
-	25	(payment with ((transmit\$5 or send\$5) or (receiv\$6)) with decrypt\$5 adj key) and encrypt\$3 with document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 11:19
-	13	( (payment with ((transmit\$5 or send\$5) or (receiv\$6)) with decrypt\$5 adj key) and encrypt\$3 with document) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 11:25
-	186	380/55.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 12:03
-	116	380/55.ccls. and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 13:42
-	14	(send\$3 or transmit\$6) near3 partially adj encrypted	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 13:44
-	5	((send\$3 or transmit\$6) near3 partially adj encrypted ) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 13:43
-	352710	(send\$3 or transmit\$6) near3 partially near3 encrypted (information or document) and print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 13:45
-	2	(send\$3 or transmit\$6) near3 partially near3 encrypted near3 (information or document) and print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 13:48

-	8	(send\$3 or transmit\$6) near3 decrypt\$4 adj key with payment	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 13:48
-	3	((send\$3 or transmit\$6) near3 decrypt\$4 adj key with payment) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 13:52
-	178	decrypt\$3 with encrypted adj document	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 13:52
-	34	(decrypt\$3 with encrypted adj document) with print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 13:53
-	13	((decrypt\$3 with encrypted adj document) with print\$3) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 13:57
-	51	portion with encrypt\$3 with receiv\$3 with respon\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 14:02
-	33	portion with encrypt\$3 with receiv\$3 with respon\$5 and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 14:05
-	12	receiv\$5 with (partial\$5 or portion) near2 encrypt\$3 with (data or information or document) and payment with decrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 14:11
-	7	receiv\$5 with (partial\$5 or portion) near2 encrypt\$3 with (data or information or document) and (serial\$5 adj2 number) with decrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 14:12
-	5	(receiv\$5 with (partial\$5 or portion) near2 encrypt\$3 with (data or information or document) and (serial\$5 adj2 number) with decrypt\$4) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 15:03
-	1	generat\$3 with unique with serial adj2 number with document with print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 15:08
-	22	generat\$3 with unique with serial adj2 number with print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 15:08
-	10	(generat\$3 with unique with serial adj2 number with print\$3) and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 15:53
-	136	380/243.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 15:53
-	30	(380/243.ccls. and @ad<=20000817) and document.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/11 16:45
-	103	380/243.ccls. and @ad<=20000817	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 09:24